


벽걸이형 AE (Wall Mount AE)




Patented Side Rack

Patented Mounting Brackets




보호 덮개
Protective Cover



GENERAL IN ASSEMBLY

GENERAL IN USE



강판 두께 Sheet Steel Thickness

- 상자: 1.2mm (Box: 1.2mm)
- 문: 1.5mm (Door: 1.5mm)
- 마운팅 플레이트:
1.2mm (아연 도금 강판)
Mounting Plate:
1.2 mm (Galvanized steel)


보호 범주 Protection Category

- UL508A
- IP66
- NEMA 4, 4X
- IEC60529
- CE

표면 처리 Surface Treatment

- 딥코팅 프라이밍
(Dipcoat-primed)
- 외부 분말 코팅
(Externally powder-coated)
- 질감 페인트
(RAL 7035 textured paint)
- 자외선 차단(Anti-UV)
균열 방지 (Anti-Cracking)

Wall Mount AE



Thickness:

Enclosure	Door	Enclosure Height
1.2	1.2	400-600mm
1.2	1.5	700-900mm
1.5	1.5	1000-1200mm

Selection table:

Model	Size(mm)			NO.of Lock
	H	W	D	
AE404016-A-1	400	400	160	1
AE505016-A-1	500	500	160	2
AE506016-A-1	500	600	160	2
AE605016-A-1	600	500	160	2
AE606016-A-1	600	600	160	2
AE607016-A-1	600	700	160	2
AE403021-A-1	400	300	210	1
AE504021-A-1	500	400	210	2
AE505021-A-1	500	500	210	2
AE604021-A-1	600	400	210	2
AE605021-A-1	600	500	210	2
AE606026-A-1	600	600	210	2
AE705021-A-1	700	500	210	2
AE706021-A-1	700	600	210	2
AE707021-A-1	700	700	210	2
AE504026-A-1	500	400	260	2
AE604026-A-1	600	400	260	2
AE605026-A-1	600	500	260	2
AE704026-A-1	700	400	260	2

표준 공급 포함:

인클로저 및 도어, 마운팅 플레이트, 잠금 시스템, 글랜드 플레이트, 씰링 개스킷 및 고정 액세서리.

옵션 공급:

유연한 장착 브래킷, 보호 커버, 마이크로 소화기

표준 구성:

도장 마감 에폭시 폴리에스터 분체 도장 질감 마감

색상: RAL 7035 보호 수준: IP66 기계적 충격: IK 10

Standard Supply Include:

Enclosure and door, Mounting plate, Lock system

Gland plate, Sealing gasket and fixing accessories

Optional Supply:

Flexible mounting bracket, Protective cover Mini-firefighter.


Standard Configuration:

Paint finish epoxy polyester powder coating texture finish.

Color: RAL 7035

Protection degree: IP65

Against mechanical impacts: IK 10



Mounting plate (Zinc coating):

Mounting plate	Enclosure Height
1.2	400-600mm
1.2	700-900mm
1.2	1000-1200mm

Model	Size(mm)			NO.of Lock
	H	W	D	
AE705026-A-1	700	500	260	2
AE706026-A-1	700	600	260	2
AE804026-A-1	800	400	260	2
AE805026-A-1	800	500	260	2
AE806026-A-1	800	600	260	2
AE807026-A-1	800	700	260	2
AE905026-A-1	900	500	260	2
AE906026-A-1	900	600	260	2
AE907026-A-1	900	700	260	2
AE106026-A-1	1000	600	260	2
AE805031-A-1	800	500	310	2
AE806031-A-1	800	600	310	2
AE905031-A-1	900	500	310	2
AE906031-A-1	900	600	310	2
AE106031-A-1	1000	600	310	2
AE107031-A-1	1000	700	310	2
AE116031-A-1	1100	600	310	2
AE117031-A-1	1100	700	310	2
AE126031-A-1	1200	600	310	2

More size checked from : www.eabel.com